WEST Search History

Hide Items Restore Clear Cancel

DATE: Thursday, February 08, 2007

Hide?	Set Name	<u>Query</u>	Hit Count
	DB = USI	PT; PLUR=YES; OP=	OR
	L6	'5370995'.pn.	1
	L5	Amber AND L4	11
	L4	Escherichia AND L3	45
	. L3	Orthogonal AND L2	52
	L2	L1 AND bacillus	2531
	L1	(tyrosyl tRNA)	9029

END OF SEARCH HISTORY

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1652KHG

PASSWORD:

NEWS X25

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
NEWS
     1
                Web Page URLs for STN Seminar Schedule - N. America
NEWS
     2
                 "Ask CAS" for self-help around the clock
NEWS 3 OCT 23
                The Derwent World Patents Index suite of databases on STN
                has been enhanced and reloaded
NEWS 4 OCT 30
                CHEMLIST enhanced with new search and display field
                JAPIO enhanced with IPC 8 features and functionality
NEWS 5 NOV 03
NEWS 6 NOV 10
                CA/CAplus F-Term thesaurus enhanced
NEWS 7
        NOV 10
                STN Express with Discover! free maintenance release Version
                 8.01c now available
NEWS 8
        NOV 20
                CA/CAplus to MARPAT accession number crossover limit increased
                to 50,000
NEWS 9
        DEC 01
                CAS REGISTRY updated with new ambiguity codes
NEWS 10
        DEC 11
                CAS REGISTRY chemical nomenclature enhanced
        DEC 14
NEWS 11
                WPIDS/WPINDEX/WPIX manual codes updated
NEWS 12
        DEC 14
                GBFULL and FRFULL enhanced with IPC 8 features and
                 functionality
NEWS 13
        DEC 18
                CA/CAplus pre-1967 chemical substance index entries enhanced
                with preparation role
NEWS 14
        DEC 18
                CA/CAplus patent kind codes updated
NEWS 15
        DEC 18
                MARPAT to CA/CAplus accession number crossover limit increased
                to 50,000
NEWS 16 DEC 18
                MEDLINE updated in preparation for 2007 reload
NEWS 17 DEC 27
                CA/CAplus enhanced with more pre-1907 records
NEWS 18 JAN 08
                CHEMLIST enhanced with New Zealand Inventory of Chemicals
NEWS 19 JAN 16 CA/CAplus Company Name Thesaurus enhanced and reloaded
NEWS 20 JAN 16
                IPC version 2007.01 thesaurus available on STN
NEWS 21 JAN 16
                WPIDS/WPINDEX/WPIX enhanced with IPC 8 reclassification data
NEWS 22 JAN 22
                CA/CAplus updated with revised CAS roles
NEWS 23 JAN 22
                CA/CAplus enhanced with patent applications from India
NEWS 24
        JAN 29
                PHAR reloaded with new search and display fields
NEWS 25
        JAN 29
                CAS Registry Number crossover limit increased to 300,000 in
                multiple databases
NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT
             MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
             AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.
NEWS HOURS
             STN Operating Hours Plus Help Desk Availability
NEWS LOGIN
             Welcome Banner and News Items
NEWS IPC8
             For general information regarding STN implementation of IPC 8
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific

X.25 communication option no longer available

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 09:39:17 ON 08 FEB 2007

=> File HCAPLUS

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST

ENTRY SESSION 0.21 0.21

FILE 'HCAPLUS' ENTERED AT 09:40:07 ON 08 FEB 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Feb 2007 VOL 146 ISS 7 FILE LAST UPDATED: 7 Feb 2007 (20070207/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s bacillus AND tyr-tRNA

94521 BACILLUS

1 BACILLUSES

12599 BACILLI

13 BACILLIS

103044 BACILLUS

(BACILLUS OR BACILLUSES OR BACILLI OR BACILLIS)

27904 TYR

93 TYRS

27989 TYR

(TYR OR TYRS)

32251 TRNA

6404 TRNAS

33101 TRNA

(TRNA OR TRNAS)

18 TYR-TRNA

(TYR(W)TRNA)

L1 3 BACILLUS AND TYR-TRNA

=> s stearophillus AND tyr-tRNA

0 STEAROPHILLUS

27904 TYR

93 TYRS

27989 TYR

(TYR OR TYRS)

32251 TRNA

```
6404 TRNAS
33101 TRNA
```

(TRNA OR TRNAS)

18 TYR-TRNA

(TYR (W) TRNA)

L2 0 STEAROPHILLUS AND TYR-TRNA

=> s stearothermophilus AND tyr-tRNA

5319 STEAROTHERMOPHILUS

27904 TYR

93 TYRS

27989 TYR

(TYR OR TYRS)

32251 TRNA

6404 TRNAS

33101 TRNA

(TRNA OR TRNAS)

18 TYR-TRNA

(TYR(W)TRNA)

L3 2 STEAROTHERMOPHILUS AND TYR-TRNA

=> s L1 or L3

SOURCE:

3 L1 OR L3

=> d ti, so, ibib 1-3 L4

L4ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

tRNA determinants for transcription antitermination of the TI

Bacillus subtilis tyrS gene RNA (2000), 6(8), 1131-1141

CODEN: RNARFU; ISSN: 1355-8382

ACCESSION NUMBER: 2000:568923 HCAPLUS

DOCUMENT NUMBER: 134:26005

TITLE: tRNA determinants for transcription antitermination of

the Bacillus subtilis tyrS gene

AUTHOR(S): Grundy, Frank J.; Collins, Jennifer A.; Rollins, Sean

M.; Henkin, Tina M.

CORPORATE SOURCE: Department of Microbiology, The Ohio State University,

> Columbus, OH, 43210, USA RNA (2000), 6(8), 1131-1141

CODEN: RNARFU; ISSN: 1355-8382 PUBLISHER:

Cambridge University Press

DOCUMENT TYPE: Journal LANGUAGE: English

REFERENCE COUNT: 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

TIChloride affects the interaction between tyrosyl-tRNA synthetase and tRNA

Biochimica et Biophysica Acta, General Subjects (1999), 1472(1-2), 51-61

CODEN: BBGSB3; ISSN: 0304-4165

ACCESSION NUMBER: 1999:750814 HCAPLUS

DOCUMENT NUMBER: 132:32579

TITLE: Chloride affects the interaction between tyrosyl-tRNA

synthetase and tRNA

AUTHOR(S): Airas, R. Kalervo

CORPORATE SOURCE: Department of Biochemistry, University of Turku,

Turku, FIN-20014, Finland

SOURCE: Biochimica et Biophysica Acta, General Subjects

(1999), 1472(1-2), 51-61

CODEN: BBGSB3; ISSN: 0304-4165

PUBLISHER: Elsevier B.V.

DOCUMENT TYPE: Journal LANGUAGE:

English

REFERENCE COUNT:

30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

ΤI Tyrosyl-tRNA synthetase acts as an asymmetric dimer in charging tRNA. A

rationale for half-of-the sites activity

Biochemistry (1988), 27(15), 5525-30

CODEN: BICHAW; ISSN: 0006-2960

ACCESSION NUMBER: 1988:450783 HCAPLUS

DOCUMENT NUMBER: 109:50783

TITLE: Tyrosyl-tRNA synthetase acts as an asymmetric dimer in

charging tRNA. A rationale for half-of-the sites

activity

Ward, Walter H. J.; Fersht, Alan R. AUTHOR(S):

CORPORATE SOURCE: Dep. Chem., Imp. Coll. Sci. Technol., South

Kensington/London, SW7 2AY, UK

SOURCE: Biochemistry (1988), 27(15), 5525-30

CODEN: BICHAW; ISSN: 0006-2960

DOCUMENT TYPE:

Journal English LANGUAGE:

=> d all 1, 3 L4

ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN L4

2000:568923 HCAPLUS AN

DN 134:26005

ED Entered STN: 17 Aug 2000

tRNA determinants for transcription antitermination of the TI

Bacillus subtilis tyrS gene

Grundy, Frank J.; Collins, Jennifer A.; Rollins, Sean M.; Henkin, Tina M. ΑU

CS Department of Microbiology, The Ohio State University, Columbus, OH, 43210, USA

SO RNA (2000), 6(8), 1131-1141 CODEN: RNARFU; ISSN: 1355-8382

Cambridge University Press PB

DTJournal

LAEnglish

CC 3-4 (Biochemical Genetics)

Section cross-reference(s): 7, 10

AΒ Transcriptional regulation of the T box family of aminoacyl-tRNA synthetase and amino acid biosynthesis genes in Gram-pos. bacteria is mediated by a conserved transcription antitermination system, in which readthrough of a termination site in the leader region of the mRNA is directed by a specific interaction with the cognate uncharged tRNA. The specificity of this interaction is determined in part by pairing of the anticodon of the tRNA with a "specifier sequence" in the leader, a codon representing the appropriate amino acid, as well as by pairing of the acceptor end of the tRNA with an unpaired region of the antiterminator. Previous studies have indicated that although these interactions are necessary for antitermination, they are unlikely to be sufficient. In the current study, the effect of multiple mutations in tRNATyr on readthrough of the tyrS leader region terminator, independent of other tRNA functions, was assessed using a system for in vivo expression of pools of tRNA variants; this system may be generally useful for in vivo expression of RNAs with defined end points. Although alterations in helical regions of tRNATyr that did not perturb base pairing were generally permitted, substitutions affecting conserved features of tRNAs were not. The long variable arm of tRNATyr could be replaced by either a short variable arm or a long insertion of a stable stem-loop structure. These results indicate that the tRNA-leader RNA interaction is highly constrained, and is likely to involve recognition of the overall tertiary structure of the

```
tRNA.
     tyrosine tRNA Bacillus transcription antitermination tyrS gene
ST
ΙT
     RL: BPR (Biological process); BSU (Biological study, unclassified); PRP
     (Properties); BIOL (Biological study); PROC (Process)
        (leader; tRNA determinants for transcription antitermination of
        Bacillus subtilis tyrS gene)
IT
     Bacillus subtilis
     Transcription termination
     Transcriptional regulation
        (tRNA determinants for transcription antitermination of
        Bacillus subtilis tyrS gene)
     Gene, microbial
TT
     RL: BPR (Biological process); BSU (Biological study, unclassified); PRP
     (Properties); BIOL (Biological study); PROC (Process)
        (tyrS; tRNA determinants for transcription
        antitermination of Bacillus subtilis tyrS gene)
IT
     RL: BAC (Biological activity or effector, except adverse); BPR (Biological
     process); BSU (Biological study, unclassified); BIOL (Biological study);
     PROC (Process)
        (tyrosine-specific; tRNA determinants for transcription antitermination
        of Bacillus subtilis tyrS gene)
     9023-45-4, Tyrosyl-tRNA synthetase
IT
     RL: BSU (Biological study, unclassified); MFM (Metabolic formation); BIOL
     (Biological study); FORM (Formation, nonpreparative)
        (tRNA determinants for transcription antitermination of
        Bacillus subtilis tyrS gene)
              THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT
RE
(1) Bedouelle, H; Biochimie 1993, V75, P1099 HCAPLUS
(2) Condon, C; Biochimie 1996, V78, P381 HCAPLUS
(3) Francklyn, C; Nature 1989, V337, P478 HCAPLUS
(4) Garrity, D; Genetics 1994, V137, P627 HCAPLUS
(5) Giege, R; Prog Nucl Acid Res 1993, V45, P129 HCAPLUS
(6) Grundy, F; Cell 1993, V74, P475 HCAPLUS
(7) Grundy, F; J Bacteriol 1990, V172, P6372 HCAPLUS
(8) Grundy, F; J Bacteriol 1994, V176, P2108 HCAPLUS
(9) Grundy, F; J Bacteriol 1994, V176, P4518 HCAPLUS
(10) Grundy, F; J Bacteriol 1997, V179, P2587 HCAPLUS
(11) Grundy, F; J Mol Biol 1994, V235, P798 HCAPLUS
(12) Henkin, T; J Bacteriol 1992, V174, P1299 HCAPLUS
(13) Henkin, T; Mol Gen Genet 1984, V193, P364 HCAPLUS
(14) Henkin, T; Mol Microbiol 1994, V13, P381 HCAPLUS
(15) Kirsebom, L; Nucleic Acids Res 1992, V20, P425 HCAPLUS
(16) Luo, D; J Bacteriol 1997, V179, P2472 HCAPLUS
(17) Marta, P; J Bacteriol 1996, V178, P2150 HCAPLUS
(18) McClain, W; J Mol Biol 1988, V203, P549 HCAPLUS
(19) McClain, W; J Mol Biol 1999, V286, P1025 HCAPLUS
(20) Miller, J; Experiments in molecular genetics 1972
(21) Puglisi, J; Nucleic Acids Res 1993, V21, P41 HCAPLUS
(22) Putzer, H; Mol Microbiol 1995, V16, P709 HCAPLUS
(23) Ramesh, V; RNA 1997, V3, P1220 HCAPLUS
(24) Sampson, J; Biochemistry 1990, V29, P2523 HCAPLUS
(25) Sprinzl, M; Nucleic Acids Res 1998, V26, P148 HCAPLUS
(26) Stragier, P; Cell 1988, V52, P697 HCAPLUS
(27) Wang, S; Biochemistry 1998, V37, P5549 HCAPLUS
(28) Wu, J; J Bacteriol 1989, V171, P692 HCAPLUS
     ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN
L4
AN
     1988:450783
                  HCAPLUS
     109:50783
DN
```

Entered STN:

19 Aug 1988

- TI Tyrosyl-tRNA synthetase acts as an asymmetric dimer in charging tRNA. A rationale for half-of-the sites activity
- AU Ward, Walter H. J.; Fersht, Alan R.
- CS Dep. Chem., Imp. Coll. Sci. Technol., South Kensington/London, SW7 2AY, UK
- SO Biochemistry (1988), 27(15), 5525-30 CODEN: BICHAW; ISSN: 0006-2960
- DT Journal
- LA English
- CC 7-4 (Enzymes)
- AB Tyrosyl-tRNA synthetase (I) of Bacillus stearothermophilus is a classical example of an enzyme with half-of-the-sites activity. I crystallizes as a sym. dimer that is composed of identical subunits, each having a complete active site. solution, however, I binds tightly, and activates rapidly, only 1 mol of tyrosine (Tyr)/mol dimer. The half-of-the-sites activity was recently shown to result from an inherent asymmetry of the enzyme. Only 1 subunit catalyzes formation of Tyr-AMP, and interchange of activity between subunits is not detectable over a long time scale. Paradoxically, however, the kinetics of tRNA charging are biphasic with respect to Tyr concentration, suggesting that both subunits of the dimer are catalytically active. This paradox was resolved by kinetic anal. of heterodimeric enzymes containing different mutations in each subunit. Biphasic kinetics with unchanged Km values for Tyr were maintained when 1 of the 2 tRNA-binding domains was removed and also when the affinity of the inactive site for Tyr was reduced by 2-58-fold. The biphasic kinetics thus do not result from catalysis at both active sites, but instead appear to result from sequential binding of 2 mols. of Tyr to the same site. A 2nd mol. of Tyr perhaps aids the dissociation of Tyr-tRNA by displacing the tyrosyl moiety from its binding site. A I monomer is probably too small to allow both recognition and aminoacylation of a tRNA mol. This could explain the requirement for I to function as an asym.
- ST tyrosyl tRNA synthetase dimer mechanism Bacillus
- IT Kinetics, enzymic

Michaelis constant

(of tyrosyl-tRNA synthetase, of Bacillus

stearothermophilus, reaction mechanism in relation to)

IT 9023-45-4, Tyrosyl-tRNA synthetase

RL: BIOL (Biological study)

(dimer, of Bacillus stearothermophilus, reaction
mechanism of, half-of-the-sites activity in relation to)

IT 60-18-4, Tyrosine, biological studies

RL: BIOL (Biological study)

(tyrosyl-tRNA synthetase response to, mechanism of, enzyme reaction kinetics in relation to)